



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



**PRODUCTION OF AIRSTARTHOSES | FITTINGS**



---

## OUR ADVANTAGES

We stand for top quality products, client first service and worldwide on-time deliveries.

Every delivery comes with all certificates and export documents. Deliveries throughout Europe and the rest of the world are prompt and right on time.

World largest stock and Product line.

Competitive pricing.

Close to EBKT airport, for demonstrations we have models available at the airport.



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## OUR FACTORY – ABOUT US

All our hoses and fittings are produced in our factory in Belgium.

we have modern CNC manufacturing equipment to meet any of your fabrication requirements. We vulcanise our hoses in our own installations. (Maximum hose length 50 meter)



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium

---

## OWN ENGINEERING

At AIRSTARTHOSSES / DAVIATION group we strive to be better. Having been in business for over 25 years, we continue to build upon our reputation of success.

We use 2D and 3D design software for modelling objects better and faster.





**AIRSTART HOSES**

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



---

## NATO RECOGNIZED – PATENT

Airstarthoses , fittings and hoses are having NATO Stock Number, or National Stock Number (NSN) as it is known in the US, is a 13-digit numeric code, identifying all the 'standardized material items of supply' as they have been recognized by all NATO countries including United States Department of Defense. Pursuant to the NATO Standardization Agreements, the NSN has come to be used in all treaty countries.

Ask Airstarthoses for the NSN number for the stock-listed products.

CAGE number : 1225070.





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium

---

Your reliable partner in airstart hoses and fittings.

Airstarthoses is a Belgium based company producing Fittings and couplings for the aeronautical airstart GSE equipment.

We have 8 CNC machines and 3 rubber hoses production lines.





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses without Scuff

Airstarthoses compounded silicone rubber tube that withstands temperatures up to 500°F and as low as -80°F. Lightweight, easy 1 person operations, the hose construction features a synthetic yarn reinforcement that assures high burst strength (400 PSI and higher), dimensional stability, and maximum flexibility. Resistant to heat, solvents, mildew, and avgas and JETA1.

### Partnumbers

- P/N ARSH20 No scuff hoses 20 ft – 6.0 meter
- P/N ARSH30 No scuff hoses 30 ft – 9.1 meter
- P/N ARSH40 No scuff hoses 40 ft – 12.2 meter
- P/N ARSH45 No scuff hoses 45 ft – 13.7 meter
- P/N ARSH50 No scuff hoses 50 ft – 15.2 meter
- P/N ARSH60 No scuff hoses 60 ft – 18.3 meter





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses with Scuff

Airstarthoses compounded silicone rubber tube that withstands temperatures up to 500°F and as low as -80°F. Lightweight, easy 1 person operations, the hose construction features a synthetic yarn reinforcement that assures high burst strength (400 PSI and higher), dimensional stability, and maximum flexibility. Resistant to heat, solvents, mildew, and avgas and JETA1.

With LENO WEAVE JACKET—consists of closely woven, treated fabric with extruded abrasion resistant rubber vulcanized in a spiral to the leno weave.

### Partnumbers

- P/N ARSHS20 Scuff hoses 20 ft – 6.0 meter
- P/N ARSHS30 Scuff hoses 30 ft – 9.1 meter
- P/N ARSHS40 Scuff hoses 40 ft – 12.2 meter
- P/N ARSHS45 Scuff hoses 45 ft – 13.7 meter
- P/N ARSHS50 Scuff hoses 50 ft – 15.2 meter
- P/N ARSHS60 Scuff hoses 60 ft – 18.3 meter

Scuff jackets are available separated aswell.







# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses Scuff jacket only

---

With LENO WEAVE JACKET—consists of closely woven, treated fabric with extruded abrasion resistant rubber vulcanized in a spiral to the leno weave.

### Partnumbers

- P/N ARSS20 Scuff jacket 20 ft – 6.0 meter
- P/N ARSS30 Scuff jacket 30 ft – 9.1 meter
- P/N ARSS40 Scuff jacket 40 ft – 12.2 meter
- P/N ARSS45 Scuff jacket 45 ft – 13.7 meter
- P/N ARSS50 Scuff jacket 50 ft – 15.2 meter
- P/N ARSS60 Scuff jacket 60 ft – 18.3 meter





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses AIRSTART COUPLER

Straight Aircraft Coupler with a dual handle quickly connects to and disconnects from an aircraft. The self-locking design provides for visual positive engagement with the aircraft nipple.

### Features:

- Red markers appear when not connected correctly
- Integrated non return valve
- Stainless ball locking system
- Elastomer protection
- Lightweight, interchangeable aluminum body
- Protective stainless steel screen (optional)

### Partnumbers

- P/N ARSH100 Airstart coupler



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



Airstarthoses AIRSTART ADAPTER

---

Adapter for AIRSTART COUPLER

Partnumbers

- P/N ARSH150 : AIRSTART ADAPTER ALUMINIUM
- P/N ARSH170 : AIRSTART COUPLER WITH ADAPTER ALUMINIUM



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



Airstarthoses End Fitting (Male)

Mates with Female End-fitting.

Partnumbers

- P/N ARSH180 END FITTING MALE





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



Airstarthoses End Fitting (Female)

---

Mates with Male End Fitting

Partnumbers

■ P/N ARSH190 END FITTING FEMALE





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses Splicer

---

Corrosion protected.

Partnumbers

- P/N ARSH210 SPLICER



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



Airstarthoses AIRSTART coupling adapter

---

Aluminium CNC part.

Partnumbers

- P/N ARSH500 adapter fitting



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses Cuff Set 2 Piece

---

Used with Air Start hose assemblies where a parallel tailpipe is fitted. Cuffs protect the duct from damage and spread the torque load evenly for maximum security..

### Partnumbers

- P/N ARSH20T : Cuff Set 2 Piece



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses Cuff Set 3 Piece

---

Used with Air Start hose assemblies where a parallel tailpipe is fitted. Cuffs protect the duct from damage and spread the torque load evenly for maximum security..

### Partnumbers

- P/N ARSH350 : Cuff Set 3 Piece



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



Airstarthoses STOW ADAPTER

---

Used with Air Start hose assemblies : Aluminium

Partnumbers

■ P/N ARSH425 : STOW ADAPTER







# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses Cuff Set 3 Piece

---

Used with Air Start hose assemblies where a parallel tailpipe is fitted. Cuffs protect the duct from damage and spread the torque load evenly for maximum security..

### Partnumbers

- P/N ARSH350 : Cuff Set 3 Piece



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium

## Airstarthoses Test COUPLING



Used with Air Start hose assemblies for testing – aluminium

Partnumbers

- P/N ARSH380 : Test coupling





# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



Airstarthoses ADAPTER

---

Aluminium

Partnumbers

- P/N ARSH390 : Adapter



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium



## Airstarthoses Vee Clamp High Torque

---

Vee clamp for securing Air Start couplings and hose assemblies with vee flange fittings. Stainless steel construction resists corrosion in extreme conditions.

### Partnumbers

- P/N ARSHVC : Vee Clamp High Torque



# AIRSTART HOSES

[www.airstarthoses.com](http://www.airstarthoses.com) - [info@airstarthoses.com](mailto:info@airstarthoses.com) - Belgium

## CONTACT

AIRSTARTHOSES  
Industrialzone Strohof  
Kruisboommolenstraat 7/9  
8800 Roeselare  
Belgium



[www.airstarthoses.com](http://www.airstarthoses.com)  
[sales@airstarthoses.com](mailto:sales@airstarthoses.com)

+32.51.77.99.19

**Producer of AIRSTART HOSES | FITTINGS**